Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S90 .	0	("2006/0004780").URPN.	USPAT	OR	ON	2008/01/22 12:15
S91	31850	(text same extract\$3 sme structure same document)	USPAT	OR	ON	2008/01/22 12:31
S92	24	S91 and (preset\$3 same string same value\$1)	USPAT	OR	ON	2008/01/22 12:32
S93	8	S92 and (font and color and size)	USPAT	OR	ON	2008/01/22 12:58
S94	8	S93 and (@ad<"20010803" or @rlad<"20010803")	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 12:36
S95	1	(715/542).CCLS.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2008/01/22 12:31
S96	35110	(character\$1 same extract\$3 sme structure same document)	USPAT	OR	ON	2008/01/22 12:45
S97	32	S96 and (preset\$3 same string same value\$1)	USPAT	OR	ON	2008/01/22 12:33
S98	474	S96 and (special same character same string\$1)	USPAT	OR	ON	2008/01/22 12:45
S99	818	S96 and (preset\$3 same value\$1)	USPAT	OR	ON	2008/01/22 12:46
S10 0	41	S98 and (preset\$3 same value\$1)	USPAT	OR	ON	2008/01/22 14:19
S10 1	38	S100 and (@ad<"20010803" or @rlad<"20010803")	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 13:27
S10 2	101	(character\$1 same extract\$3 same HTML)	USPAT	OR	ON	2008/01/22 13:26
S10 3	2	S102 and (special same character same string\$1)	USPAT	OR	ON	2008/01/22 12:47
S10 4	1	S102 and (preset\$3 same value\$1)	USPAT	OR	ON	2008/01/22 12:46
S10 5	19	S102 and (special same character)	USPAT	OR	ON	2008/01/22 12:56
S10 6	65	S102 and (character same string\$1)	USPAT	OR	ON	2008/01/22 12:57
S10 7	16	S106 and (font and color and size)	USPAT	OR	ON	2008/01/22 13:27
S10 8	27	((character\$1 adj string) same extract\$3 same HTML)	USPAT	OR	ON	2008/01/22 14:02
S10 9	6	S108 and (font and color and size)	USPAT	OR.	ON	2008/01/22 13:27

1/29/2008 11:08:49 AM
C:\Documents and Settings\jdebrow\My Documents\EAST\Workspaces\10768178 extracting information from formatted document.wsp

S11 0		S109 and (@ad<"20010803" or @rlad<"20010803")	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 13:47
S11 2	1	S103 and (font and (bold or bold\$face) and color and size)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 13:47
S11 3	11	S102 and (font and (bold or bold\$face) and color and size)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 14:03
S11 4	10	S113 and (@ad<"20010803" or @rlad<"20010803")	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 14:03
S11 5	352	(((character\$1 adj string) or tag) same extract\$3 same HTML)	USPAT	OR	ON	2008/01/22 14:03
S11 6	30	S115 and (font and (bold or bold\$face) and color and size)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 14:19
S11 7	17	S116 and (@ad<"20010803" or @rlad<"20010803")	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 14:18
S11 8	2687	(extract\$3 or pars\$4) same HTML same (tag\$1 or (character\$1 with string\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR.	ON	2008/01/22 14:18
S11 9	1557	S118 and (@ad<"20010803" or @rlad<"20010803")	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 14:52
S12 0	132	S119 and (font and (bold or bold\$face) and color and size)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 14:52
S12 1	13	S120 and ((preset\$3 or pre\$determin\$3) same value\$1)	USPAT	OR	ON	2008/01/22 14:52
S12 2	510	(analyz\$3 same character same (string\$1 or tag\$1) same content)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 14:50
S12 3	9508 ⁻	((extract\$3 or pars\$4) same character same (string\$1 or tag\$1))	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 15:36

						·
S12 4	318	S122 and (@ad<"20010803" or @rlad<"20010803")	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 15:03
S12 5	5667	S123 and (@ad<"20010803" or @rlad<"20010803")	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 14:52
S12 6	194	S123 and (font and (bold or bold\$face) and color and size)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 14:55
S12 7	34	S126 and ((preset\$3 or pre\$determin\$3) same value\$1)	USPAT	OR	ON	2008/01/22 14:55
S12 8	1935	((extract\$3 or pars\$4) same character same (string\$1 or tag\$1)) and HTML	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 14:54
S12 9	974	S128 and (@ad<"20010803" or @rlad<"20010803")	US-PGPUB; USPAT; JPO; DERWENT	OR	ON .	2008/01/22 14:54
S13 0	74	S129 and (font and (bold or, bold\$face) and color and size)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 17:15
S13	17	S130 and ((preset\$3 or pre\$determin\$3) same value\$1)	USPAT	OR	ON	2008/01/22 14:55
S13 2	63	S124 and (HTML)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 15:04
S13 3	974	S125 and (HTML)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 15:04
S13 4	483	S133 and (analy\$3 and ((saving or stor\$3) same (result\$1 or file)))	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 15:07
S13 5	486	S133 and (analy\$4 and ((saving or stor\$3) same (result\$1 or file)))	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 15:07
S13 6	43	S135 and (font and (bold or bold\$face) and color and size)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 17:22

S13 7	1	(SGML or HTML) same (tag\$1 or (character same string\$1)) same match\$3 same (look\$up adj table)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 15:40
S13 8	1560	(SGML or HTML) and (tag\$1 or (character same string\$1)) and match\$3 and (look\$up adj table)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 17:20
S13 9	989	S138 and (@ad<"20010803" or @rlad<"20010803")	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 17:21
S14 0	61	S139 and (font and (bold or bold\$face) and color and size)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 17:15
S14 1	743	((SGML or HTML) same (tag\$1 or (character same string\$1))) and (match\$3 or map\$4) and (look\$up adj table)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 17:34
S14 2	505	S141 and (@ad<"20010803" or @rlad<"20010803")	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 17:36
S14 3	36	S142 and (font and (bold or bold\$face) and color and size)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 17:25
S14 4	14	S142 and (analyz\$3 same (string\$1 or tag\$1) same content)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 17:36
S14 8	12923	((SGML or HTML) same (tag\$1 or (character same string\$1)))	US-PGPUB; USPAT; JPO; DERWENT	.OR	ON	2008/01/22 17:35
S14 9	569	S148 and (analyz\$3 same (string\$1 or tag\$1) same content)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 17:45
S15 0	293	S149 and (@ad<"20010803" or @rlad<"20010803")	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 17:46
S15 1	4	S150 and (font and (bold or bold\$face) and color and size)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 17:46

			-			
S15 2	913	S148 and (analyz\$3 with (string\$1 or tag\$1))	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 18:12
S15 3	502	S152 and (@ad<"20010803" or @rlad<"20010803")	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 18:10
S15 4	16	S153 and (font and (bold or bold\$face) and color and size)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 18:15
S15 5	2	("20020065814").PN.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2008/01/22 18:09
S15 6	2	("5276793").PN.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2008/01/22 18:09
S15 8	60	S157 and (@ad<"20010803" or @rlad<"20010803")	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 18:15
S15 9	720	analyz\$3 same HTML same (string\$1 or tag\$1)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 18:13
S16 0	362	S159 and (@ad<"20010803" or @rlad<"20010803")	US-PGPUB; USPAT; JPO; DERWENT	OR	ON .	2008/01/22 18:15
S16 1	14	S160 and (font and (bold or bold\$face) and color and size)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/01/22 18:15



Subscribe (Full Service) Register (Limited Service, Free) Login

The ACM Digital Library O The Guide

extracting structured document strings



>>

THE ACM DIGITAL LIBRARY

Feedback

extracting structured document strings

Terms used: extracting structured document strings

Found 528 of 238,273

Sort results by

relevance

Save results to a Binder

Refine these results with Advanced

Display results

expanded form

Open results in a new window

Try this search in The ACM Guide

Results 41 - 60 of 528 Result page: << previous 1 2 3 4 5 6 7 8 9 10next

41 Measuring the structural similarity of semistructured documents using entropy

Sven Helmer

September 2007 VLDB '07: Proceedings of the 33rd international conference on Very large data bases.

Publisher: VLDB Endowment

Full text available: pdf(228.46 KB) Additional Information: full citation, abstract,

references

We propose a technique for measuring the structural similarity of semistructured documents based on entropy. After extracting the structural information from two documents we use either Ziv-Lempel encoding or Ziv-Merhav crossparsing to determine the ...

42 Structured use of external knowledge for event-based open domain

question answering

Hui Yang, Tat-Seng Chua, Shuguang Wang, Chun-Keat Koh July 2003 SIGIR '03: Proceedings of the 26th annual international ACM SIGIR conference on Research and development in information

retrieval

Publisher: ACM

Additional Information: full citation, abstract,

Full text available: pdf(287.93 KB)

references, cited by, index <u>terms</u>

One of the major problems in question answering (QA) is that the queries are either too brief or often do not contain most relevant terms in the target corpus. In order to overcome this problem, our earlier work integrates external knowledge extracted ...

Keywords: event-based QA, query formulation, question answering

43 Extracting causal knowledge from a medical database using graphical patterns Christopher S. G. Khoo, Syin Chan, Yun Niu

Ads by Google

GIS Image **Segmentation** Shapefiles from satellite imagery Wizard to segment, classify, batch ImageSeg.com

Image Analysis **Techniques** Unique Software Solutions That Work Affordable & Custom Made. Buy www.SmartImTech.com

Document Scanning Service Free Online Quote. Scan to PDF/TIF Serving the DC Metropolitan Area www.ignitedscanning.com

<u>Imaging Analysis</u> **Software** Get your complete and cost effective microscopy software. www.zechsoft.com